



राष्ट्रीय सहारा

12+4 (हस्तक्षेप) पृष्ठ, मूल्य ₹ 4.00

सूचना

D.A.V. PUBLIC SCHOOL
Katar, Dehri-on-Sone, Rohtas
(Bihar)

(Affiliated to Central Board of
Secondary, Delhi)

Affiliation No. 330118 School
Code : 65115

Ph. No. 9473235897,
8409918414

Email-

davkatar147@yahoo.com
website: www.davkatar.com

डी.ए.वी. पब्लिक स्कूल, कटार,
डेहरी-ऑन-सोन, रोहतास
(बिहार), विद्यालय में बाउन्ड्री
वॉल का निर्माण 4 फीट ऊँचाई
बढ़ाने हेतु प्रमाणिक व्यक्ति या
संस्था से कोटेशन एक सप्ताह के
अंदर आमंत्रित करता है। विशेष
जानकारी के लिए मोबाइल
नम्बर-9473235897,
8409918414 पर संपर्क कर
सकते हैं या विद्यालय वेबसाइट
www.davkatar.com से
जानकारी प्राप्त कर सकते हैं।

(प्रबंधक)

डी.ए.वी. पब्लिक स्कूल, कटार
डेहरी-ऑन-सोन, रोहतास (बिहार)

DAV Public School, Katar, Dehri-On-Sone, Rohtas

Ref. No. DAV/KATAR/2024-25/40
POS

Date: 12/05/2024

TENDER NOTICE

1.	Name of the Works	Increase the height of boundary Wall
2.	Estimated Area Compound wall length	1552 ft
3.	Addition on height	4 ft
4.	Time of completion	02 months (from the date of work ordered issued)
5.	Date of Tender Notification	12/05/2024
6.	Last Date/Time for Receipt of Bids	18-05-2024
7.	Name and Address of office Inviting Tender	Principal, DAV Public School, Katar, Dehri-On-Sone, Rohtas (Bihar).
8.	Contact Number of Procurement Office	9473235897
9.	Help Numbers	8409918414

The eligible contractors/construction companies/enterprises may send their sealed quotations paper to the school office after the dated of notification as above mentioned between 08:00 am to 03:00 pm on every working days. Quotations will be opened by the building sub-committee of the school.

The work order will be issued to the eligible to the registered contractors/construction companies /enterprise who will offer the lowest rate.

Following points need attention

1. The school shall not be liable to pay any tax, freight etc. which has not been expressly stipulated in the quotation in the event of acceptance of the quotation. The school will deduct TDS as per rule of Income Tax.
2. The undersigned does not bind him to accept the lowest quotation and reserves the right to accept the quotation in whole or in part i.e. with respect to the entire article mentioned in the attached statement or in respect of one or more than one articles specified in the attached statement as he may decide.
3. On acceptance of the quotation it will become a contract and the contractor shall be bound by the terms and conditions of the quotation as well. Contractor must fulfill the terms and conditions of Government of Bihar as well as govt. of India.
4. The quantity of articles indicated in the attached statement may be increased or decreased at the discretion of the undersigned without assigning any reason.
5. The rates quoted by the contractor shall hold good upto finishing of the renovation works. No amendment will be accepted in the rate of renovation .
6. The description of the said renovation works in details can be had from the office of either RO/Dy. RO/ARO Bihar Zone – H or from the Principal of DAV Public School, Katar, Dehri-On-Sone. The payment will be made to the contractor through A/C payee cheque after the finishing of the work and duly approved by the architect.
7. Quotations which do not comply with the above conditions are liable to be rejected.
8. Non-completion of works within the stipulated time, the contractor will be liable to pay penalties as decided by the Building Sub-Committee, except the special circumstances if any.

HEADMASTER

DAV Public School, Katar
Dehri-On-Sone, Rohtas (Bihar)

FOR TECHNICAL APPROVAL

ABSTRACT OF COST OF ADDITION ON COMPOUND WALL OF D.A.V. PUBLIC SCHOOL, KATAR, DEHRI-ON-SONE, ROHTAS, BIHAR.				
Sl.No.	S.O.R.	DESCRIPTION	Qty.	Unit.
		(A) Addition on Compound wall - Length= 1552'-10", Addition on Height = 4'-0"		
		Area of construction of addition on Compound wall = 1552'-10" x 4'-0" = 6211.32 SFT (577.26 SM)		
		SECTION-I (DEMOLITION WORK)		
1	15.3	Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material within 50 metres lead.	4.51	Cum
		SECTION-II (P.C.C./R.C.C. WORK)		
2	5.2	Reinforced cement concrete work in wall (any thickness) including attach pilasters, buttresses, plinth and string courses, filets, columns, pillars, piers, abutments, posts and struts etc. upto floor five level excluding cost of centering, shuttering finishing and reinforcement.		
	5.2.2	1:1.5:3 (1 cement; 1.5 coarse sand; 3 graded stone aggregate 20mm nominal size.)	21.42	Cum
3	5.3	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases up to floor five level excluding the cost of centring, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size).	9.13	Cum
4	5.9	Centering and shuttering including strutting propping etc and removal of form for		
	5.9.5	Lintels, beams, plinth beams, girders, bressumers and cantilevers.	72.16	Sqm
	5.9.6	Columns, pillars, piers, abutments posts and struts.	357.45	Sqm
5	5.22	Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete.		
	5.22.1B	Mild steel - 6mm dia.	800	Kg
	5.22.7A	Thermo-Mechanically treated bars TMTC-500-8mm dia.	450	Kg
	5.22.7B	Thermo-Mechanically treated bars TMTC-500-10 mm dia.	950	Kg
		SECTION-III (BRICK WORK)		

Sl.No.	S.O.R.	DESCRIPTION	Qty.	Unit.
6	6.1A+ 6.1.14A+ 6.3A	Brick work with bricks of class designation 100A in superstructure above plinth level upto floor V level in Cement mortar 1:6(1 cement; 6 coarse sand)	120.05	Cum
		SECTION-IV (PLASTER WORK)		
7	13.11	12mm cement plaster of mix:		
	13.11.4	1:6 (1 cement; 6 coarse sand).	649.42	Sqm
8	13.12.	15 mm cement plaster on rough side of single or half brick wall of mix.		
	13.12.4	1:6 (1 cement; 6 coarse sand).	769.20	Sqm
		SECTION-V (FINISHING WORK)		
9	13.46A	Finishing walls with premium Acrylic Smooth exterior paint with silicone additives of required shade:		
	13.46A.1	New work(Two or more coat applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	1418.62	Sqm

Note:- Previous construction is not in equal height. Over all height will be made equal in present construction and it will be within approved area. Proposed height will be adjusted according to area during construction.